US 6,524,831 B2

137

138

```
-continued
oly lie Aen Ile Pro Val Amp Gly Gly Lan Ala Ser Thr Tyr Val
245 250 250
<210> SEQ ID NO 43
 <212> TYPE: DRIA
 <213> ORGANISM: not required under old rule
<400> SEQUENCE: 43
auguarotha chaayaaraa ratygu
                                                                                   26
<210> SEQ ID NO 44
<211> LENGTH: 20
<212> TYPE: PRT
<213> ORGANISM: not required under ald rule
<220> FEATURE:
<221> MAKE/KEY: UNSURE
<222> LOCATION: (12)
<221> MANE/KEY: UNSURE
<222> LOCATION: (13)..(19)
<400> SEQUENCE: 44
Ret Cln Leu Thr Acn Lyo Lyo Tlo Vel Vel Vel Rea Vel Ken Xee Xee
Xas Xno Kan Yan
<210> SEQ TO NO 45
<211> LENGTH: 25
<212> TYPE: PRT
<213> CRGANISM: not required under old rule
<220> FEATURE:
<221> RAME/KEY: UMSURE
<222> LOCATION: (20)
<400> SEQUENCE: 45
for Ile tou Gly Leu Asn Gly Ala Pro Val Gly Ala Glu Gin Leu Gly
1 5 15
Scr Ala Leu Xaa
20
```

What is claimed is:

- An isolated eugenol hydroxylase comprising two subunits wherein one subunit comprises a cytochrome C which is encoded by SEQ ID NO: 11 and wherein the second subunit comprises a flavoprotein which is encoded by SEQ ID NO: 15.
- An isolated DNA coding for the enzyme according to claim 1 comprising SEQ ID NO: 11.
   A cosmid clone comprising an isolated DNA according
- A cosmid clone comprising an isolated DNA secording to claim 2.
- 4. A vector comprising an isolated DNA according to 55 claim 2.
- 5 5. A microorganism transformed with the isolated DNA according to claim 2.
- 6. A procuss of converting eugenol to comiferyl alcohol comprising subjecting eugenol to the eugenol hydroxylase seconding to claim 1 for a period of time sufficient to convert the eugenol to coniferyl alcohol and recovering the alcohol thus formed.
  - An isolated DNA coding for the enzyme according to claim 1 comprising SEQ ID NO: 15.

. . . . .